
Rainlendar 2.8 released (build 101)

Posted by Rainy - 2011/01/06 09:54

You can download it from here: http://www.rainlendar.net/cms/index.php?option=com_rny_download&Itemid=30

=====

Re: Rainlendar 2.8 released (build 101)

Posted by AWDriver - 2011/01/06 13:21

Shadow Skin add-on needs to be updated to work (no weather window).

=====

Re: Rainlendar 2.8 released (build 101)

Posted by Leif - 2011/01/06 14:21

AWDriver wrote:

Shadow Skin add-on needs to be updated to work (no weather window).

I think you might need this: <http://www.rainlendar.net/download/Shadow4-Widgets.r2skin-addon>

=====

Re: Rainlendar 2.8 released (build 101)

Posted by Jorge_Luis - 2011/01/16 06:06

o Copy group adds postfix ".x.y" to the "id" for the copied items.

WARNING: Unknown field (showmonth) for item (Sunmoon.bitmap.sun.1.1).

Does always search for a "showmonth" value on each item (even if it is an image) ?

=====

Re: Rainlendar 2.8 released (build 101)

Posted by Rainy - 2011/01/17 13:42

Yes, it does. I should get rid of that warning since it's probably somewhat confusing.

=====

Re: Copygroup item and behaviour

Posted by Jorge_Luis - 2011/08/24 17:44

After long time, I try again with the copy group item. It's a useful thing when you need more than 1 of an item, but you don't know how many.

I feel like after changing an item value, and redrawing the window, all the default data overwrites the changes I made. Here's an example:

```
Rainlendar_Log("Current pressed button: " .. id)
if (aux == "font.bold") then
    Rainlendar_SetItemValue(window, "Todo List.text" .. id, "element", "font.normal")
    Rainlendar_SetItemValue(window, "Todo List.text" .. id, "text", id)
else
    Rainlendar_SetItemValue(window, "Todo List.text" .. id, "element", "font.bold")
    Rainlendar_SetItemValue(window, "Todo List.text" .. id, "text", "NONE")
end
aux = Rainlendar_GetItemValue(window, "Todo List.text" .. id, "text")
Rainlendar_Log("Current text (before redraw): " .. aux)
```

```
Rainlendar_Redraw(0, window)
aux = Rainlendar_GetItemValue(window, "Todo List.text" .. id, "text")
Rainlendar_Log("Current text (after redraw): " .. aux)
return True
```

Rainlendar log:

```
19:37:56: Current pressed button: .1.3
19:37:56: Current text (before redraw): NONE
19:37:56: Current text (after redraw):
19:37:57: Current pressed button: .1.5
19:37:57: Current text (before redraw): NONE
19:37:57: Current text (after redraw):
```

Re: Copygroup item and behaviour

Posted by Rainy - 2011/08/25 13:03

Redraw recreates the items so all data stored to them will disappear. You could try to create an event handler for the redraw event and make the changes to the items in there. You might not be able to change all the properties anymore in that point though since the items have been already created and initialized.

Re: Copygroup item and behaviour

Posted by Jorge_Luis - 2011/08/26 11:42

Well, looks like it's impossible. I made the event handler and do the changes, but the window didn't see them. Also, I don't know why I'm having troubles with setting a variable inside a window (but no for globals) with scripts. I had to do that with the SetOption instead of SetVariable.

I will recheck later. Now I have to go.