
Switching Calendars

Posted by Inferno - 2011/03/12 08:30

I'm using rainlendar on my desktop to view multiple calendars.

currently I'm using:

Month view

Week view

Day view

But I only want to show 1 or none of those (so switching between calendars).

This is because I want my desktop to be clean ;)

So it is possible to have:

Month view OR week view OR day view OR nothing?

=====

Re: Switching Calendars

Posted by Inferno - 2011/03/12 08:32

I've seen it's possible to hide all, but I only want to display 1 of them or none.

=====

Re: Switching Calendars

Posted by Jorge_Luis - 2011/03/12 09:30

You can right click on the tray icon, click on Windows and then click individually on each window to show/hide.

=====

Re:Switching Calendars

Posted by Inferno - 2011/03/13 06:33

Yeah I know, but I hate to have an tray icon and I'd like to have an shortcut for activating / hiding one of the calendars.

The only shortcut for activating / hiding is for ALL calendars.

So to be precise:

An shortcut for:

activating / hiding for one of the calendars.

=====

Re:Switching Calendars

Posted by Rainy - 2011/03/13 07:05

You would have to create new hotkey functions (see scripts/hotkeys.lua). E.g. something like this:

```
function Hotkey_Show_Day_View()
  Rainlendar_ShowWindow("Day View")
  Rainlendar_HideWindow("Week View")
  Rainlendar_HideWindow("Month View")
end
```

=====

Re:Switching Calendars

Posted by Inferno - 2011/03/13 09:00

Thank You :laugh:

I've placed the calendars on top of each other on my desktop.
So now with 1 press of a button it shows 1 of my calendars :laugh:
But now I only want to make an toggle button.

I'm now working on letting them switch after each other.
Like:

None -> Day -> Week -> Month -> None -> etc.

But what programming language is Rainlendar?

Here's what I made :

```
function Hotkey_Show_Day_View()  
  Rainlendar_ShowWindow("Day View")  
  Rainlendar_HideWindow("Sidebar")  
  Rainlendar_HideWindow("Week View")  
end
```

```
function Hotkey_Show_Week_View()  
  Rainlendar_HideWindow("Day View")  
  Rainlendar_ShowWindow("Week View")  
  Rainlendar_HideWindow("Sidebar")  
end
```

```
function Hotkey_Show_Month_View()  
  Rainlendar_HideWindow("Day View")  
  Rainlendar_HideWindow("Week View")  
  Rainlendar_ShowWindow("Sidebar")  
end
```

Re:Switching Calendars

Posted by Jorge_Luis - 2011/03/13 09:33

I think this code would make what you want. The programming language used by Rainlendar is Lua. This code cycles between 4 values (0 to 3) and with each value hides/shows differents windows.
But I'm not sure what will happen on each restart of the application.

```
ShowOnlyOneWindow = 0
```

```
function Hotkey_Change_Window_View()  
  ShowOnlyOneWindow = (ShowOnlyOneWindow + 1) % 4  
  if ShowOnlyOneWindow == 0 then  
    Rainlendar_HideWindow("Day View")  
    Rainlendar_HideWindow("Sidebar")  
    Rainlendar_HideWindow("Week View")  
  elseif ShowOnlyOneWindow == 1 then  
    Rainlendar_ShowWindow("Day View")  
    Rainlendar_HideWindow("Sidebar")
```

```
Rainlendar_HideWindow("Week View")
elseif ShowOnlyOneWindow == 2 then
  Rainlendar_HideWindow("Day View")
  Rainlendar_ShowWindow("Sidebar")
  Rainlendar_HideWindow("Week View")
else
  Rainlendar_HideWindow("Day View")
  Rainlendar_HideWindow("Sidebar")
  Rainlendar_ShowWindow("Week View")
end
end
```

Re:Switching Calendars

Posted by Inferno - 2011/03/13 10:28

Very nice :laugh:
It works as expected ;)

The only thing is that:

```
elseif ShowOnlyOneWindow == 2 then
  Rainlendar_HideWindow("Day View")
  Rainlendar_ShowWindow("Sidebar")
  Rainlendar_HideWindow("Week View")
else
  Rainlendar_HideWindow("Day View")
  Rainlendar_HideWindow("Sidebar")
  Rainlendar_ShowWindow("Week View")
```

These are reversed :silly:
But that's a matter of a quick change :)

Also I've tested the restart of rainlendar2, and:
Rainlendar must load a bit now, like 1 sec
Rainlendar displays the calendar you had before you terminated it.

Thanks for all the help :cheer:
