
Calendar\'s name and missing handlers

Posted by Wasly - 2012/07/11 06:39

How to change calendar's name?

And event handlers is very necessary for "Calendar enabled", "Calendar disabled", "Rainlendar begins to close" events.
:dry:

=====

Re:Calendar\'s name and missing handlers

Posted by anoob - 2012/07/11 21:43

Welcome to the forum, Wasly.

How to change calendar's name? the old calendar, input new name for the duplicate calendar, and then delete the old calendar.

"Calendar enabled", "Calendar disabled"Can use (refer) Shadow4's window, "Calendar List", to do that.

"Rainlendar begins to close" events.Sorry, not understand this, can provide an example?

=====

Re:Calendar\'s name and missing handlers

Posted by Wasly - 2012/07/12 01:06

anoob wrote:

the old calendar, input new name for the duplicate calendar, and then delete the old calendar.

Subforum "Scripting" is here. ;)

How to duplicate? How to create? How to delete a calendars from a script?

Sorry, not understand this, can provide an example?

But I understood you :laugh:

=====

Re:Calendar\'s name and missing handlers

Posted by anoob - 2012/07/12 01:19

a) Not need Script, just:

Right-Click a Rainlendar Window > Option... > Calendar > Click "Old Calendar" > Click > Input "New Name" and click "OK" > Click "Old Calendar" again > Click .

b) My meaning is what work you want to do?

=====

Re:Calendar\'s name and missing handlers

Posted by Wasly - 2012/07/12 01:29

anoob wrote:

My meaning is what work you want to do?

I'm writing a script!

I need to change calendar's name from a script. How?

And if user quits Rainlendar how my script will be able to find this event?

=====

Re:Calendar\'s name and missing handlers

Posted by anoob - 2012/07/12 01:45

I'm writing a script ! I need to change calendar's name from a script. How? I need some time to think.

And if user quits Rainlendar how my script will be able to find this event? At the moment, this is impossible, because any script is depend on Rainlendar is running, unless your script is use another app to run, e.g. Autoit.

=====

Re:Calendar\'s name and missing handlers

Posted by Wasly - 2012/07/12 02:20

anoob wrote:

At the moment, this is impossible,...

Yes, I knew it.

Therefore I offered new event handlers ;)

=====

Re:Calendar\'s name and missing handlers

Posted by Jorge_Luis - 2012/07/12 10:30

There is something you can do, but it's incomplete, so it won't work.

With Rainlendar_SetOption(path, name, value) you can using (e.g.):

Name=Default

Plugin=iCalendar Format

Enabled=1

ReadOnly=0

SuppressAlarms=0

DefaultAlarm=

VisualCategory=

TimeOffset=0

You will need to look every calendar, compare with the one you want to change (using Rainlendar_GetCalendars), then using Rainlendar_SetOption("Calendars/Calendar" .. iNumber, "Name", strNewName) you can change the name. But, the path is getted from:

Filename=C:\\Users\\\\.rainlendar2\\Default.ics

Monitor=0

And there's no way to change "iCalendar\ Format/Default" to "iCalendar\ Format/NEWNAME" (at least what I suppose) or create, change or remove any other path.

Unless... you could persuade Rainy to add a function to rename calendars or to add/change/remove paths...

=====

Re:Calendar\'s name and missing handlers

Posted by anoob - 2012/07/12 12:21

Wasly wrote:anoob wrote:At the moment, this is impossible,...

Yes, I knew it.

Therefore I offered new event handlers

I am confused, if Rainlendar is not running, how to trigger and execute handler ?

=====

Re:Calendar\'s name and missing handlers

Posted by Jorge_Luis - 2012/07/12 12:43

I don't know which is the Wasly's idea, but I know that many (I can't count them) apps has an OnClose or OnClosing function (at least, this exists on VB .NET and C .NET). It could be used to make a last change before closing the app, e.g., save a file, launch an alert (with another app).

There will need to be captured the close event and see if any handler is setted. If setted, run the function and close, if not, close directly.

As a workaround for the "calendar enabled", "calendar disabled" event, you (Wasly) can create a 1 sec. timer to keep a record of enabled/disabled calendars. If one of them change it status, launch a second function.

=====

Re:Calendar\'s name and missing handlers

Posted by Rainy - 2012/07/13 04:24

@Wasly: Can you give some more details what exactly are you trying to accomplish (i.e. why do you want to rename the calendar and know when Rainlendar closes)? The notifications for the closing and enabling/disabling the calendar should be quite easy to implement but renaming calendars probably requires more work.

=====

Re:Calendar\'s name and missing handlers

Posted by Wasly - 2012/07/13 10:58

Rainy wrote:

The notifications for the closing and enabling/disabling the calendar should be quite easy to implement

Yes, these notifications are very necessary! B)

...but renaming calendars probably requires more work.

I wanted to mark a calendars in such a way. But if it's impossible now I'll find another way.

Can you give some more details what exactly are you trying to accomplish (i.e. why do you want to rename the calendar and know when Rainlendar closes)?

1. Renaming the calendar. It was just question and no more.

2. 'Initialize' event exists. Even 'Power resume' event exists. But 'Quit' event doesn't exists. :huh:

If Rainlendar closes all the event handlers are just dropped and the script does nothing.

Of course this event is necessary that the script could execute some actions.

=====