

---

## Reread iCal file when it was changed

Posted by elf\_128 - 2007/02/07 11:38

---

First version of Rainlendar had very useful option in iCalendar plug-in, such as subj.

Is it possible to find similar option in Railendar2?

=====

## Re:Reread iCal file when it was changed

Posted by Rainy - 2007/02/07 14:24

---

This is not currently supported but it is a planned feature.

=====

## Trac access

Posted by elf\_128 - 2007/02/09 06:57

---

Second question.

We use rainlendar for access to Edgewall Trac. Here are official Trac site <http://trac.edgewall.org/>

We write small tool for two way synchronize of Trac and iCalendar file. That tool is work already but every time user must call refresh. It isn't comfortably. There is two way to resolve:

1. Update feature is needed for that.
2. I find Plug-in API for rainlendar1. Is there available Plug-in API for second version. We can write additional plug-in for direct access of Rainlendar to Trac and place plug at public disposal.

Post edited by: elf\_128, at: 2007/02/09 06:58

Post edited by: elf\_128, at: 2007/02/09 07:07

=====

## Re:Trac access

Posted by Rainy - 2007/02/09 11:48

---

The plugin API is not public yet and it'll probably take a while before I have time to finish it.

One option to refresh the calendar on Windows is to send WM\_COMMAND with value 2001 to a window with caption "Rainlendar2 Control Window". I don't know how to do the same in Linux.

I also have a plan to make it possible to run scripts from the command line so you could do automatic refreshing that way too.

=====

## Re:Trac access

Posted by elf\_128 - 2007/02/09 15:10

---

It is a great idea to send message directly to the window, but something wrong.

So. Here is my sample.

Python 2.4.2 (#67, Sep 28 2005, 12:41:11) on win32

Type "help", "copyright", "credits" or "license" for more information.

```
>>> import win32gui
```

```
>>> import win32con
```

```
>>> r = win32gui.FindWindow("wxWindowClassNR","Rainlendar2 Control Window"Â«Â»)
```

```
>>> win32gui.SendMessage(r,win32con.WM_COMMAND,2001,0)
```

```
>>> win32gui.SendMessage(r,win32con.WM_COMMAND,0,2001)
```

---

```
>>> win32gui.SendMessage(r,win32con.WM_COMMAND,0,0x2001)
>>> win32gui.SendMessage(r,win32con.WM_COMMAND,0x2001,0)
```

Nothing happened. I think you wrong in message id or something else but...

I find cheating to resolve my problem.  
Options->Hotkeys  
Hotkey: Ctrl+Shift+R  
Add Hotkey.

Next...

```
>>> win32gui.SendMessage(r,win32con.WM_HOTKEY,0,0x00520006)
0
```

Yes. It work.

Thank you for idea.

=====

## Re:Trac access

Posted by Rainy - 2007/02/09 17:51

---

The id was wrong. It should be 103. Sorry about that. So, this should work:

```
win32gui.SendMessage(r,win32con.WM_COMMAND,103,0)
```

=====

## Re:Trac access

Posted by elf\_128 - 2007/02/09 19:43

---

Yes. Now it's work. Thank you for support.

=====